

EQU

15/31-



www.altoproaudio.com

- - -



ON:
OFF:

WARNING:

CAUTION:

(Fuse)

LTO –
LTO AUDIO TEAM.

LTO

Sound Processor)

(DSP, Digital
7

LTO AUDIO

LTO –

LTO

LTO.

LTO AUDIO

1.		4
2.		4
3.		4
	3.1		
	3.2		
4.	&	8
	4.1		
	4.2		
	-		
	-		
	-		
5.		10
	5.1		
	5.2		
	-		
	-		
6.		12

1.


LTO,
 EQU -
 EQU
 EQU
 « »
 EQU
 EQU
 EQU131 - 31-
 EQU215 - 15-
 EQU2215 - 15-
 EQU131VU - 31-
 - 31-
 31-
 31-
 VU- VU-
 EQU231VU
 EQU231LED -
 EQU231TWIN -

2.


3% / (6/12)
 (Ground Lift)
 ISO9001

3.


3.1




EQU131VU




EQU231VU



EQU231LED



EQU231TWIN



1.


(Filter level controls):

(±6 ±12)


2. **Level** (): «5» clip (5)
3. **High-Pass Filter** (): 40 (12 /). (12).
4. **Low-Pass Filter** (): 16 (12 /). (12).
5. **CLIP** (): 5
6. **Bypass** (): Bypass (7).
7. **Bypass** (): Bypass (6)
8. **Range** (): ±6 ±12
9. **Filter Range** (): ±6 ±12
10. **Power:** / OFF – ON
11. **VU-** :
12. **High-Pass Filter** (High-Pass Filter (3) **High-Pass**):
13. **Low-Pass** (Low-Pass Filter (4) **Low-Pass**):
14. :

3.2


- **EQU131**




- **EQU215**




• **EQU2215**




• **EQU131VU**



• **EQU231VU/ EQU231LED**



• **EQU231TWIN**



- 15. In/Out, XLR (/) XLR
- 16. In/Out, 1/4" TRS (/) TRS
- 17. In/Out, RCA (/) « »

18. Ground Lift () 4.2

19. Fuse/Voltage («lift» / 110 220)



(, .),

180

20. ()

4. & :

4.1

EQU

POWER ON/OFF

4.2

XLR 1/4" TRS Phone Jack. LTO EQU

« »

1/4" TRS (Tip-Ring-Sleeve), XLR



1/4" TRS



1/4" TRS







XLR





XLR

XLR, RCA 1/4" TRS,



«Y»

1/4" TRS




4.3.

" " EQU 19" ,
 EQU131 EQU215 1H, EQU231TWIN 4H,
 EQU2215, EQU131VU, EQU231VU EQU231LED - 2H.
 15


5.
5.1

EQU




5.2

EQU , 60 .
 « »
 200 6 . EQU
 « »
 EQU (-)
 (



EQU
 (,) .



- a. EQU131 EQU131VU.
 b. EQU215, EQU2215, EQU231LED, EQU231VU
 EQU231TWIN, / &

6.

EQU131	1	31	: 1/3	,	1H
EQU215	2	15	: 2/3	,	1H
EQU2215	2	15	: 2/3	,	2H
EQU131VU	1	31	: 1/3	,	2H
EQU231VU / 231LED	2	31	: 1/3	,	2H
EQU231TWIN	2	31	: 1/3	,	4H
20					
(EQU131/EQU215/EQU231VU/EQU231LED),					
60					
(EQU131VU/EQU2215/EQU231TWIN)					
±6 ±12					
XLR 1/4" TRS,					
RCA					
20 (), 15 ()					
18 dBv					
XLR 1/4" TRS,					
RCA					
600					
16 dBv					
>10					
40 (12 /)					
16 (12 /)					
20 - 50 - 3					
+ , % 0,2 % 1 , .					
/ 93 1					
100 - 120 , 220-240 , 50-60					
EQU131/131VU	7				
EQU215/2215	9				
EQU231VU / 231LED/231TWIN	12,5				
	483	220	44	(1H)	
	483	220	88	(2H)	
	483	220	177,8	(4H)	